



MOXZATM
LINE



AUTOMOBILE
LUBRICANTS OIL

रुके नहीं झुके नहीं
बस चलती ही रहे...

Marketed by:
SHREE GANESH ENTERPRISES

Shop No. 24, Pushpakdham CHS Ltd. Beturkarpada,
Kalyan, Thane -421301. Maharashtra (India)

For Customer Feedback:

MOXZAlinelubricants@gmail.com

Contact at : 9082974018 / 9321646998

MOXZATM
LINE



New Generation Oil



- ABOUT US -

Customer is our first priority and customer satisfaction is our motto. This philosophy along with your continued support has enabled "MOXZA LINE LUBRICANTS" to show steady growth year after its incorporation. We are successfully marketing our products under the brand name "MOXZA LINE LUBRICANTS" which are known for its quality and performance. Our R & D center is located at Vapi and is not only optimizing the existing products with the best performance but also developing a new range of products. The product line catalog for automotive lubricants provides a brief outline on Automotive Lubricants manufactured and marketed by "MOXZA LINE LUBRICANTS". The information provided in this catalog is based on the requirements of various applications in the automotive industry. This information would serve as a reference material. However, for proper recommendation and application of these products, our customers are requested to avail the services of our experienced sales technical personnel's. We feel pleasure in presenting this catalog on Automotive Lubricants to our valued customers, which we hope, would serve as a ready reckoner.

- PRODUCT RANGE -

Product	Product Name	Grade
20W-40 MG	MOXZA SUPER	API-CF-4
15W40	MOXZA TURBO	API-CH4
15W40	MOXZA TURBO PLUS	API-CI4
20W-40 4T	MOXZA ACTIVE	API-SL
20W-40 4T	MOXZA ACTIVE PLUS	API-SN
10W30	MOXZA SPEED	API-SL
10W30	MOXZA SPEED PLUS	API-SN
15W50	MOXZA ROYAL	API-SN
10W40	MOXZA ADVANCE	API-SN/CF
20W50	MOXZA PREMIUM	API-SG/CD
5W30	MOXZA POWER	API-SN/CF
5W40	MOXZA POWER PLUS	API-SN/CF
HYDRAULIC 68 / 46 / 32	MOXZA HYDRO	
ATF	MOXZA ATF	SUFFIX 'A'
EP90 / 80W90	MOXZA DRIVE	API-GL4
EP140 / 85W140	MOXZA DRIVE PLUS	API-GL4
Coolant	MOXZA COOL	
Break Oil	MOXZA BREAK OIL	Dot-3/Dot-4
Grease	MOXZA MP-3 GREASE	Brown/Red Col



X Diesel Engine Oil

API CF4, SAE 20W40

Introduction

MOXZA SUPER MG SAE 20W40 CF4 is a high performance multigrade diesel engine oil formulated from high quality base oils and additives specially for tractors and mixed fleet working under severe conditions.

Application

Recommended for use in all types of heavy/light commercial vehicles manufactured by TATA, Ashok Leyland, Mahindra, Eicher and tractors of all makes like TAFE, Swaraj, HMT, New Holland, Sonalika & DGs where API CF, 20W-40 is recommended.

Performance Benefits -

Excellent soot handling in order to improve and extend engine life
Excellent control over deposits to maintain Engine Power

Pack Size :

1Lit, 3 Lit, 3.5 Lit, 5 Lit, 7.5 Lit, 10Litt, 20Lit, 50 Lit, 210 Lit



API CI4, SAE 15W40

Introduction

MOXZA Turbo Plus SAE 15W40 CI4 is a superior quality, high performance diesel engine oil formulated from premium quality base oils and advanced additives for engines used for on and off highway vehicle applications. It is also suitable for use in latest low emission engines fitted with EGR technology.

Application

Recommended for the vehicles and tractors having naturally aspirated and turbo charged diesel engines manufactured by TATA, Ashok Leyland, Mahindra, Eicher, Volvo, MAN, Mercedes, Scania, AMW etc.

Performance Benefits -

Excellent soot handling in order to improve and extend engine life
Excellent control over deposits to maintain Engine Power
Longer Oil drains under harsh conditions

Pack Size :

1Lit, 3 Lit, 3.5 Lit, 5 Lit, 7.5 Lit, 10Litt, 20Lit, 50 Lit, 210 Lit





Heavy Duty Bike Oil

4T API SN, SAE 20W40

Introduction

MOXZA Active Plus 4T 20W40 is a synthetic blend, premium performance, technically advanced four stroke motorcycle engine oil which provides superior protection to engine parts from wear and corrosion. It's a dedicated four stroke motorcycle oil for new generation bikes with high speed, high power & air cooled motorcycles.


Performance Benefits -

- Longer drain period
- Lowers engine maintenance cost
- Excellent wet clutch performance

Performance Standard

Meets the requirements of API SN, JASO MA2
API SL, JASO MA2 is also available

Pack Size : 900ml, 1Lit, 50 Lit and 210 Lit



Heavy Duty Bike Oil

4T API SN, SAE 15W50

Introduction

MOXZA Royal 15W50 is a synthetic blend, premium performance, technically advanced four stroke motorcycle engine oil which provides superior protection to engine parts from wear and corrosion. It's a dedicated four stroke motorcycle oil for new generation bikes with high speed, high power & air cooled motorcycles.

Performance Benefits -

- Longer drain period
- Lowers engine maintenance cost
- Excellent wet clutch performance

Performance Standard

Meets the requirements of API SN, JASO MA2
API SL, JASO MA2 is also available

Pack Size : 900ml, 1Lit, 50 Lit and 210 Lit



4T API SN, SAE 10W30

Introduction

MOXZA Activ Plus 4T 10W30 is a semi -synthetic, premium performance, technically advanced four stroke motorcycle engine oil which provides superior protection to engine parts from wear and corrosion. It's a dedicated four stroke motorcycle oil for new generation bikes with high speed, high power & air cooled motorcycles.

Performance Benefits -

- Longer drain period
- Lowers engine maintenance cost
- Excellent wet clutch performance

Performance Standard

Meets the requirements of API SN, JASO MA2
API SL, JASO MA2 is also available

Pack Size : 800ml, 900ml, 1Lit, 50 Lit and 210 Lit





Car Engine Oil

API SN/CF, SAE 10W40

Introduction

MOXZA Advance SAE 10W40 SN/CF is a semi synthetic quality, premium generation motor Oil designed to give exceptional performance and protection under most severe operating conditions. It is engineered as per the requirements of today's tougher engine specifications and provides better engine protection thus increasing the life of the engine.

Application

It is suitable for all latest generation passenger cars of Honda, Toyota, Nissan, General Motors, Ford, Suzuki, Hyndai etc. where SAE 10W-40 oil is recommended.

Performance Benefits -

Provides excellent wear protection to engine
Provides excellent oxidation stability performance

Pack Size : 1Lit, 3 Lit, 3.5 Lit, 5 Lit, 10Litt, 50 Lit, 210 Lit



Car Engine Oil

API SN/CF, SAE 5W30

Introduction

MOXZA Power SAE 5W30 SN/CF is a synthetic quality, premium new generation motor Oil designed to give exceptional performance and protection under most severe operating conditions. It is engineered as per the requirements of today's tougher engine specifications and provides better engine protection thus increasing the life of the engine.

Application

It is recommend for both Petrol and Diesel engine passenger cars as well as light commercial vehicles.

Performance Benefits -

Provides excellent wear protection to engine
Provides excellent oxidation stability performance

Pack Size : 1Lit, 3 Lit, 3.5 Lit, 5 Lit, 10Litt, 50 Lit, 210 Lit



API SN/CF, SAE 20W50

Introduction

MOXZA Premium SAE 20W50 SG/CD is a synthetic quality, premium new generation motor Oil designed to give exceptional performance and protection under most severe operating conditions. It is engineered as per the requirements of today's tougher engine specifications and provides better engine protection thus increasing the life of the engine.

Application

It is recommend for both Petrol and Diesel engine passenger cars as well as light commercial vehicles.

Performance Benefits -

Provides excellent wear protection to engine
Provides excellent oxidation stability performance

Pack Size : 1Lit, 3 Lit, 3.5 Lit, 5 Lit, 10Litt, 50 Lit, 210 Lit



API SN/CF, SAE 5W40

Introduction

MOXZA Power Plus SAE 5W40 SN/CF is a synthetic quality, premium new generation motor Oil designed to give exceptional performance and protection under most severe operating conditions. It is engineered as per the requirements of today's tougher engine specifications and provides better engine protection thus increasing the life of the engine.

Application

It is recommend for both Petrol and Diesel engine passenger cars as well as light commercial vehicles.

Performance Benefits -

Provides excellent wear protection to engine
Provides excellent oxidation stability performance

Pack Size : 1Lit, 3 Lit, 3.5 Lit, 5 Lit, 10Litt, 50 Lit, 210 Lit





Hydraulic Oil

Premium Hydraulic Oil (VG 32, 46, 68, 100)

MOXZA Premium Hydraulic Oils are blended from hydro treated base stocks having excellent Thermal and Hydralytic stability fortified with selected anti-oxidentsm anti-wear, anti-rust and anti-foam additives.

Recommended for modern mobile hydraulic equipment manufactured by escorts, JCB, ACE, Sany etc.

Benefits :

- Increase reliability and longevity of hydraulic systems
- Reduction in abrasion & wear
- Minimize sludge and varnish formation

Packing Size - 5 Ltrs, 50 Ltrs, 210 Ltrs



Transmission Oil

Automatic Transmission Fluid-Suffix "A"

MOXZA ATF is specially formulated to meet the General Motor's Automatic Transmission Fluid Type 'A' Suffix 'A' specification. This fluid imparts good anti-wear, anti-oxidation, de-foaming and desired friction characteristics.

Recommended for Automatic transmission and power steering units of Automobiles and light vehicles where OEM specifies to use Type 'A' Suffix 'A' grade of fluid.

Benefits :

- Offers smooth operation over a wide range of ambient temperatures
- Provides good anti-wear protection to critical parts
- Good oxidation & thermal stability reduces deposit formation

Packing Size - 5 Ltrs, 50 Ltrs, 210 Ltrs



Gear Oil

GL4 80W90 AND EP 90

Introduction

MOXZA Drive 80W90 is premium quality gear oil formulated for use in synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. It is ideal for hypoid, Sprial, Bevel or Worm gear transmission system where API GL-4 fluid is recommended.

Application

Recommended for passanger cars, vans, light commerical vehicles, buses, tractors, construction equipments.

Performance Benefits -

Excellent Thermal and Oxidation Stability
Protection against rust and corrosion ensuring longer trouble free protection

Pack Size : 1Lit, 2.5Lit, 5 Lit, 10 Lit, 20 Lit, 50 Lit, 210 Lit



GL5 - 85W140 AND EP 140

Introduction

MOXZA Drive Plus 85W140 is premium quality gear oil formulated for use in synchromesh manual gears, transmissions and axles working under moderate to severe load and pressure conditions. It is ideal for hypoid, Sprial, Bevel or Worm gear transmission system where API GL-4 fluid is recommended.

Application

Recommended for passanger cars, vans, light commerical vehicles, buses, tractors, construction equipments.

Performance Benefits -

Excellent Thermal and Oxidation Stability
Protection against rust and corrosion ensuring longer trouble free protection

Pack Size : 1Lit, 5 Lit, 10 Lit, 20 Lit, 50 Lit, 210 Lit





Moxza Cool

COOLANT

MOXZA COOL is a high quality cooling system conditioner offering corrosion protection for vehicle cooling systems in warmer climates, where freezing protection is not required. It is suitable for all conventional cooling systems in automobile petrol and diesel engines. MAXX Coolant is a water based formulation containing special organic acid technology. It contains low levels of ethylene glycol and is free from silicates, nitrites, amines and phosphates, minimising its environmental impact. MOXZA COOL Coolant is supplied as a concentrate and requires dilution to 33% with demineralised water before use.

Benefits :

In order for a car to run properly it must have an adequate cooling system which protects the engine against overheating. Antifreeze is a fluid substance made specially to keep this system functioning properly. Without antifreeze, also known as coolant, your car's engine would suffer irreparable damage.

Packing Size - 1Ltr, 3Ltr, 3.5Ltr, 5Ltr, 50Ltr, 210Ltr.



Moxza MP3 Grease

MP 3 GREASE

Introduction

MOXZA MP3 GREASE is Multifunctional lithium base grease, mild extreme pressure (EP) properties. These grease possess excellent shear stability, high load carrying properties & prevent welding & seizure of moving parts under shock loading conditions. These greases are recommended for industrial & automotive, earth moving equipments, gear couplings, electric motors, ball & roller bearings etc.

Performance Standard

IS 7623 - 1993

NLGI - 3 Specification

Key Features & Benefits

High Drop Point.

Excellent thermal and structural Stability.

Optimum lubrication under even adverse mechanical conditions.

Good surface adhesion.

Gives excellent protection against rust, corrosion and water wash out.

Applications

Plain and anti-friction bearings of cars, commercial vehicles etc.

Heavy duty ball and roller bearings of steel rolling mills, papers mills, sugar mills etc. Universal joints and spline shafts.

Suitable for bearings operating at temperature upto 130°C

Pack Size : 250gm, 500gm, 1kg, 5kg, 10kg, 18kg, 180kg.



Moxza Break Oil

BREAK OIL - DOT-3/DOT-4

MOXZA Break Oil brake fluids are usually glycol ether based, but that is not because they are required to be. In fact, FMVSS116 doesn't precise the chemical composition of brake fluids. It simply dictates the fluid physical properties. However, brake fluid industry has, by consensus, decreed that glycol ether fluids are the most economical way to meet the requirements.

Benefits :

Water Contents : <0.25%

Boiling point (ERBP) > 220°C

Damp boiling point (Wet ERBP) > 150°C

Red colored, transparent & free flow liquid.

Packing Size - 5 Ltrs, 50 Ltrs, 210 Ltrs

